

# Product Overview

## Three Point Excavators



# 5 Models

## Kendo



for compact tractors and  
two-axle mowers

1 ton load capacity

up to ~ 40 HP

## Aikido



for light mountain tractors

2.5 tons load capacity

up to ~ 75 HP

## Judo



for multiple applications  
and many carrier vehicles

2.5 tons load capacity

up to ~ 75 HP

## Samurai



the robust middle class

3.5 tons load capacity

up to ~ 120 HP

## Sumo



the strongest on the  
market

5 tons load capacity

up to ~ 200 HP

# Why Rosensteiner Three Point Excavator?



**Two-cylinder system with quality cylinder:**  
High tilting power, 90° tilt angle, complete emptying, dosed tilting, easy loading

Upon request: various **adapters** – from Euronorm to exotic wheel loaders

**Safety tailboard lock:**  
Flush with the outside, bolts do not protrude

**Modern Design**

**Screwed scrape rail:**  
Made of HB 400 (high-strength material) for a long lifespan

Upon request: **tailboard swivel device + loading area extension**

**Austrian quality product**

**Tailboard flush with the outside:**  
No risk of injury in the event of collision

Upon request: **additional lashing points** (inner side of shovel)

Three pre-defined **standard lashing points** on each side

Upon request: **special painting**

**Powder-coated:** long lifespan & easy tilting of material due to smooth surface

Upon request: **attachment for bulk material**





# The three point excavator in use





# On the loading vehicle





# At the construction site





# Loads of snow - the three point excavator can handle it





# In the municipal sector

